

SAFETY DATA SHEET (SDS)

Section 1. Identification

Product identifier	LOGGIN TWO - Part A

Other means of identification LCTH - A

Recommended use and restrictions on use Casting and Countertops

Initial supplier identifierLabSurface. 101-1079, rue des Forges, Terrebonne, QC, J6Y 0J9 (Canada) Tél. (450) 966-9000Emergency telephone number/restriction on useCanada – CANUTEC Number 24 hours 613-996-6666

Section 2. Hazard Identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Skin corrosion/irritation (Category 2)

Skin sensitization (Category 1B)

Serious eye damage/eye irritation (Category 2B)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)



Warning H315 Causes skin irritation. H317 May cause an allergic skin reaction. H320 Causes eye irritation.

Prevention

P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands/nails/face/eyes thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace P280 Wear gloves/protective clothing/gloves/eye protection/face protection.

Response

IF ON SKIN: P302 + P352 Wash with plenty of water. P332 + P313 If skin irritation occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse.


IF IN EYES: P305 + P351 + P338 Rinse cautiously with water. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention.

Disposal

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None

Section 3. Composition/Information on Ingredients				
Chemical name (common			CAS number or other	Concentration (%)*
Bisphenol A epichlorohydrin polymer			25068-38-6	50-80%
Reactive Diluent	* *			10-30 %
Reactive Diluent				10-20 %
*Statement - This safety da	ta sheet provides concentration range((s) instead of t	he actual concentration(s) considere	d trade secret(s)
	Section	4. First-Aid	Measures	
	ALED: If overexposure remove person attention.	n to fresh air a	nd keep comfortable for breathing. I	f symptoms persist, seek
	Ingestion IF SWALLOWED: Immediately call a doctor. Prevent aspiration of vomit. Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water.			
Skin contact IF ON SKIN: Remove contaminated clothing, wash immediately with plenty of water (20 - 30 minutes). If skin irritation occurs: Get medical attention. Wash contaminated clothing before reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands. If symptoms persist, seek medical attention.				
Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. Causes eye irritation.				
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.				
Section 5. Fire-Fighting Measures				
Specific hazards of the ha	zardous product (hazardous combu	stion product	ts)	
Smoke, fume, oxides of car	bon.			
Suitable and unsuitable e	xtinguishing media			
In case of fire: Use Carbon	dioxide (CO2), dry chemical, water an	nd alcohol resi	stant foam.	
Special protective equipment and precautions for fire-fighters				





During a fire, irritating/toxic fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment as required			
Section 6. Accidental F	Release Measures		
Personal precautions, protective equipment and emergency procedures			
	Evacuate non-emergency personnel. Isolate the area and prevent access. Control source of the leak. Ensure clean-up is conducted by trained		
personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Prevent the spill spread into drains, sewers, water supplies, or soil. Eliminate all ignition sources (no smoking, flares, sparks or flames) in immediate area. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.			
Methods and materials for containment and cleaning up			
Avoid prolonged exposure. Stop leak if you can do it without risk. Do not tour material and disposed into suitable retaining area. Small volumes of liquid m from all watercourses. Do not flush down storm or sanitary sewer. Take prec with local, provincial and federal regulations.	ay be contained or absorbed into an appropriate absorbent. Keep away		
Section 7. Handling	g and Storage		
Precautions for safe handling			
Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands/nails/face/ey be allowed out of the workplace. Wear gloves/protective clothing/gloves/eye			
Conditions for safe storage, including any incompatibilities			
Store in a cool, well-ventilated area. Keep container closed when not in us ignition. Store away from incompatible materials (Section 10). Inspect all damaged. Storage area should be clearly identified, clear of obstruction and or leaks.	incoming containers to make sure they are properly labelled and not		
Section 8. Exposure Contro	ls/Personal Protection		
Control parameters (biological limit values or exposure limit values and			
Exposure limits: ACGIH – TLV-TWA Not available			
Appropriate engineering controls			
Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.			
Individual protection measures/personal protective equipment			
Gloves: Neopren gloves or equivalent; Clothing: use suitable protective clothing to prevent any possibility of skin contact; Respiratory: Not required if working area is well ventilated. Use a NIOSH approved respirators if the exposure limits are unknown; Equipment: Safety glasses, chemical resistant. Special instructions for protection and hygiene: Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.			
Educate and train employees in the safe use and handling of this product. Fol Section 9. Physical and C			
Appearance, physical state/colour Liquid	Vapour pressure Not available		
Odour Odorless to mild	Vapour bressure Not available Vapour density Not available		
Odour threshold Not available	Relative density Not available		
pH Not available	Solubility Not available		
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available		
Initial boiling point/range Not available	Auto-ignition temperature Not available		
Flash point $> 100 ^{\circ}\text{C}$	Decomposition temperature Not available		
Evaporation rate Not available	Viscosity Not available		
Flammability (solids and gases) Not available VOC Not available			
Upper and lower flammability/explosive limits Not available Other None known			
Section 10. Stability and Reactivity			
Reactivity			
Stable under normal conditions.			
Chemical stability			
Yes, Stable under the recommended storage and handling conditions prescribed.			
Possibility of hazardous reactions			
Non under normal conditions of storage and use.			
Conditions to avoid (static discharge, shock or vibration)			
Excess heat and sources of ignition			
Incompatible materials			

Acids, bases, amines, oxidizing agents.





Hazardous	decompositi	on products

Chlorine hydrogen, carbon oxides.

Section 11. Toxicological Information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Causes skin irritation. May cause an allergic skin reaction. Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

No specific information available.

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization - May cause allergic skin reaction. Skin disorders and Allergies. Respiratory Sensitization - No data available;

Germ Cell Mutagenicity – Animal genetic toxicity studies were negative; Carcinogenicity – , the most recent review of the available data by the International Agency for Research on Cancer (IARC) has concluded that DGEBPA is not classified as a carcinogen; Reproductive Toxicity – In animal studies, did not interfere with reproduction;

Specific Target Organ Toxicity — Single Exposure – Evaluation of available data suggests that this material is not an STOT-SE toxicant; Specific Target Organ Toxicity — Repeated Exposure – Except for skin sensitization, repeated exposures to low molecular weight epoxy resins of this type are not anticipated to cause any significant adverse effects;

Aspiration Hazard – Based on physical properties, not likely to be an aspiration hazard; Health Hazards Not Otherwise Classified – No data available.

Numerical measures of toxicity (ATE; LD50 & LC50)

 $CAS \ 25068-38-6 \ LD_{50} \ Oral - Rat - > 15,000 \ mg/kg; \ LD_{50} \ Dermal - Rabbit - 23,000 \ mg/kg; \ LC_{50} \ Inhalation - has not been determined; \ ATE not available in this document.$

Section 12. Ecological Information

Ecotoxicity (aquatic and terrestrial information)

Toxicity to fish CAS: 25068-38-6 LC_{50} : 1 – 10 mg/l (in the most sensitive species tested)/ LC_{50} 2 mg/l (Oncorhynchus mykiss (rainbow trout), semi-static test, 96h;

Toxicity to Aquatic Invertebrates: CAS: 25068-38-6 EC₅₀: 1.8 mg/l (Water flea (Daphnia magna) 48h);

Toxicity to Algae and Aquatic Plants: CAS: 25068-38-6 EC₅₀: 11 mg/l (Fresh water algae (Scenedesmus capricornutum) static test, 72h);

Toxicity to Bacteria CAS: 25068-38-6 IC₅₀: >42.6 mg/l, (Respiration rates, 18h).

Persistence and degradability CAS: 25068-38-6 12%, not easily biodegradable.

Bioaccumulative potential CAS: 25068-38-6 Bio-concentration potential is moderate

Mobility in soil CAS: 25068-38-6 Potential for mobility in soil is low

Other adverse effects Not available

Section 13. Disposal Considerations

Information on safe handling for disposal/methods of disposal/contaminated packaging Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Section 14. Transport Information

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

No regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

No regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

No regulated.
Special precautions (transport/conveyance) None

Environmental hazards (IMDG or other) None

Bulk transport (usually more than 450 L in capacity)

Section 15. Regulatory Information

None

Safety/health Canadian regulations specifics		This product has been classified in accordance with the hazard criteria of the Hazardous Products			
	Regulations (HPR).				
Environmental	Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL				
Safety/health/er	Safety/health/environmental outside regulations specifics				
United States OS	United States OSHA information: This product is regulated according to OSHA (29 CFR).				
United States EF	United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.				
United States TCSA information: Refer to the ingredients listed in Section 3.					
Section 16. Other Information					
Date of the latest revision of the safety data sheet April 16, 2019 - version 01					
References	References Safety Data Sheets from manufacturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu				
Abbreviations					

ADDICVIATIONS	
ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service



IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods Code	
LC	Lethal concentration	
LD	Lethal Dosage	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program (U.S.A.)	
OSHA	Occupational Safety and Health Administration (U.S.A.)	
PEL	Permissible Exposure Limit	
STEL	Short-term Exposure Limit	
TDG	Transport of dangerous goods in Canada	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
TWA	Time Weighted Average	
WHMIS	Workplace Hazardous Materials Information System	
DISCLAMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. In order to meet our strict requirements, we are continuously testing our coatings and on occasion, formulations may be modified to improve certain properties within each coating. Information and data included in this reference document may not be up to date as of the date of reference.		



SAFETY DATA SHEET (SDS)

Section 1. Identification

Product identifierLOGGIN TWO, Part B

Other means of identification LCTH-B

Recommended use and restrictions on use Casting and Countertops

Initial supplier identifierLabSurface. 101-1079, rue des Forges, Terrebonne, QC, J6Y 0J9 (Canada) Tél. (450) 966-9000Emergency telephone number/restriction on useCanada – CANUTEC Number 24 hours 613-996-6666

Section 2. Hazard Identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Acute toxicity, oral (Category 4)

Acute toxicity, dermal (Category 4)

Serious eye damage/eye irritation (Category 1)

Hazardous to the aquatic environment, long-term-hazard (Category 1)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)



Warning

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects

Prevention

P264 Wash hands/nails/face/eyes thoroughly after handling. P270 Do not eat, drink or smoke when using this product.P273 Avoid release to the environment. P280 Wear gloves/protective clothing/gloves/eye protection/face protection.

Response

IF SWALLOWED: P301 + P312 call a POISON CENTER if you feel unwell. P330 Rinse mouth.

IF ON SKIN: P302 + P352 Wash with plenty of water. P312 call a POISON CENTER if you feel unwell. P362 + P364 Take off contaminated clothing and wash it before reuse.

IF IN EYES: P305 + P351 + P338 Rinse cautiously with water. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER.

ENVIRONMENT: P391 Control spillage.

Disposal

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None

Section 3. Composition/Information on Ingredients				
Chemical name	CAS number or other	Concentration (%)*		
Epoxy Amine Ha	ardener		<100 %	
*Statement - Thi	s safety data sheet provides concentration range(s) instead	of the actual concentration(s) considered	ed trade secret(s).	
	Section 4. First-A	id Measures		
Inhalation	IF INHALED: Get medical attention immediately. If over	rexposure remove person to fresh air a	nd keep comfortable for	
	breathing. If not breathing, give artificial respiration or g	ive oxygen by trained personnel. Do no	ot use mouth-to-mouth method	
	if victim inhaled the substance. If symptoms persist, seek	medical attention.		
Ingestion	IF SWALLOWED: Immediately call a doctor. Prevent			
	person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth			
	method if victim ingested the substance. Rinse mouth thoroughly with water.			
Skin contact IF ON SKIN: Remove contaminated clothing, wash immediately with soap and water (20 - 30 minutes). If skin irr				
	occurs: Get medical attention. Wash contaminated clothing before reuse. Discard items which cannot be decontaminated			
	including leather articles such as shoes, belts and watchbands. If symptoms persist, seek medical attention.			
Eye contact IF IN EYES, Rinse cautiously with water for seve		nutes (20 - 30 minutes). Remove conta	act lenses, if present and easy to	
	do. Continue rinsing. If eye irritation persists: Get medical attention.			
Most important	symptoms and effects (acute or delayed) Harmful	Harmful if swallowed. Harmful in contact with skin. Causes serious eye		
	damage.			
Indication of im	Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.			
Section 5. Fire-Fighting Measures				
Specific hazards	s of the hazardous product (hazardous combustion prod	ucts)		
Oxides of carbon and nitrogen.				



Suitable and unsuitable extinguishing media

In case of fire: Use Dry chemical, water fog

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment as required

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Evacuate non-emergency personnel. Isolate the area and prevent access. Control source of the leak. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Prevent the spill spread into drains, sewers, water supplies, or soil. Removal of ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Methods and materials for containment and cleaning up

Avoid prolonged exposure. Stop leak if you can do it without risk. Spill should be contained with inert material and disposed into suitable retaining area. Do not touch or walk through spilled material. Small volumes of liquid may be contained or absorbed into an appropriate absorbent. Keep away from all watercourses. Do not flush down storm or sanitary sewer. Take precautionary measures against static discharges. Dispose of in accordance with local, provincial and federal regulations.

Section 7. Handling and Storage

Precautions for safe handling

Wash hands/nails/face/eyes thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear gloves/protective clothing/gloves/eye protection/face protection.

Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated area. Keep container closed when not in use. Do not handle or store near open flames, heat or other sources of ignition. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure Controls/Personal Protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: ACGIH – TLV-TWA Not available.

Appropriate engineering controls

Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.

Individual protection measures/personal protective equipment

Gloves: Neopren gloves or equivalent; Clothing: use suitable protective clothing to prevent any possibility of skin contact; Respiratory: Not required if working area is well ventilated. Use a NIOSH approved respirators if the exposure limits are unknown; Equipment: Safety glasses, chemical resistant. Special instructions for protection and hygiene: Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Educate and train employees in the safe use and handling of this product. Follow all label instructions.

Section 9. Physical and Chemical Properties		
Appearance, physical state/colour Liquid	Vapour pressure Not available	
Odour Not available	Vapour density Not available	
Odour threshold Not available	Relative density Not available	
pH Not available	Solubility Not available	
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available	
Initial boiling point/range Not available	Auto-ignition temperature Not available	
Flash point 218.5 °C (425.3°F)	Decomposition temperature Not available	
Evaporation rate Not available	Viscosity Not available	
Flammability (solids and gases) Not available VOC Not available		
Upper and lower flammability/explosive limits Not available	Other None known	
Section 10. Stability and Reactivity		
Reactivity		
Does not react under the recommended storage and handling conditions prescribed.		
Chemical stability		
Yes, Stable under the recommended storage and handling conditions prescribed.		
Possibility of hazardous reactions		
Non under normal conditions of storage and use.		
Conditions to avoid (static discharge, shock or vibration)		
Excess heat and sources of ignition		

Excess heat and sources of ignition



Incompatible m	aterials
	ith oxidizing agents, acids, epoxies.
	omposition products
None known.	
Ttone known	Section 11. Toxicological Information
Information on	the likely routes of exposure (inhalation, ingestion, skin and eye contact)
	owed. Harmful in contact with skin. Causes serious eye damage.
	ed to the physical, chemical and toxicological characteristics
Corrosive, may c	
	mediate effects (chronic effects from short-term and long-term exposure)
	m – Not classified. Causes serious eye damage. Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No
	nic effects reported; Carcinogenicity – No classified as a carcinogenic; Reproductive Toxicity – Not available; Specific Target
	- Single Exposure - No information found; Specific Target Organ Toxicity - Repeated Exposure - No information found;
Aspiration Hazar	rd - No information found; Health Hazards Not Otherwise Classified - No data available.
	sures of toxicity (ATE; LD ₅₀ & LC ₅₀)
Acute toxicity:	LD ₅₀ Oral - Rat 550 mg/kg bw female; LD ₅₀ Dermal Rabbit >1000 mg/kg bw; LC ₅₀ Inhalation Rat No available; ATE not
available in this	document.
	Section 12. Ecological Information
	natic and terrestrial information)
	C50: >100 mg/L (Fish, 96h);
	atic Invertebrates: EC ₅₀ : 13 mg/l (Crustacea) 48h.
	aquatic plants: EC ₅₀ : 4.4 mg/l (Algae) 72h
Persistence and	
Bioaccumulativ Mobility in soil	e potential Not available No data available
Other adverse e	
Other adverse e	
T f	Section 13. Disposal Considerations
	safe handling for disposal/methods of disposal/contaminated packaging nts/container into safe container in accordance with local, regional or national regulations.
Dispose of conte	Section 14. Transport Information
UN numbers Dr	oper shipping name; Class(es); Packing group (PG) of the TDG Regulations
	oper simpping name, Class(es), Facking group (FG) of the FDG Regulations onmentally Hazardous Substance Liquid (Epoxy Amine Hardener), N.O.S.; HAZARD CLASS:9; PACKING GROUP: III
	oper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)
	onmentally Hazardous Substance Liquid (Epoxy Amine Hardener), N.O.S.; HAZARD CLASS:9; PACKING GROUP: III
	oper shipping name; Class(es); Packing group (PG) of the IATA (air)
	onmentally Hazardous Substance Liquid (Epoxy Amine Hardener), N.O.S.; HAZARD CLASS:9; PACKING GROUP: III
	ions (transport/conveyance) None
	hazards (IMDG or other) None
Bulk transport	(usually more than 450 L in capacity) Possible
	Section 15. Regulatory Information
Safety/health Ca	anadian regulations specifics This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).
	Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL
	wironmental outside regulations specifics
	SHA information: This product is regulated according to OSHA (29 CFR).
	A (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.
United States TC	SA information: Refer to the ingredients listed in Section 3.
	Section 16. Other Information
	at revision of the safety data sheet September 28, 2019 - version 02
References	Safety Data Sheets from manufacturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu
Abbreviations	American Conference of Governmental Industrial Uncionista
ACGIH ATE	American Conference of Governmental Industrial Hygienists Acute toxicity estimate
CAS	Chemical Abstract Service
~	Domestic Substance List
DSL	
DSL IARC	
DSL IARC IATA	International Agency for Research on Cancer International Air Transport Association
IARC	International Agency for Research on Cancer



LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIS	Workplace Hazardous Materials Information System		
DISCLAMER: La	DISCLAMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product		

or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. In order to meet our strict requirements, we are continuously testing our coatings and on occasion, formulations may be modified to improve certain properties within each coating. Information and data included in this reference document may not be up to date as of the date of reference.